


BR3 BALLISTIC LEVEL AUTOMATIC SLIDING GATE




MADOORS SYSTEM

SARAY MAHALLESİ ATOM CADDESİ NO:155 KÜME EVLERİ
KAHRAMANKAZAN /ANKARA
www.madoors.com.tr


BULLET PROOF SLIDING GATE






FRONT VIEW

MADOORS





PARTS	SPECIFICATIONS
MOTOR POWER	220 VOLT.AC. 50/60HZ.
WORKING TEMPERATURE	-40 / +55 CELCIUS
REMOTE CONTROL	YES / 2 CHANNEL / 2 PIECES / 433 MHZ.
NORMAL BUTON	YES / STOP-START-EMERGENY STOP
FREE HANDLE USE	YES / LOCK-KEY
SECURITY SENSORS	YES / 24 VOLT AC/DC. IR SENSORS
SECURITY LOOP SENSORS	OPTIONALLY / 24 VOLT AC/DC. LOOP METAL DEDECTORS
FLASHING LIGHT	YES / 220 VOLT . POWER LED
TRAFFIC LIGHT	OPTIONALLY / 220 VOLT AC / R=10 CM /RED-GREEN POWER LED
LIMIT SWITCHES	OPEN-CLOSE / NO/NC MECHANICAL LEVEL SWITCH
RACK GEAR	4/6 MODUL GALVANIZED RACK GEAR
MOTOR MATERIALS	ALUMINIUM / STEEL / PLASTIC
BALLISTIC STEEL	6 MM. BR3 MILUX 500 / DUROSTAD 500
GATE FRAME	80X80X3 MM PROFILE / ST52
GATE SUPPORT	80X80X3 MM PROFILE / ST52
ROLLER	ST52 GALVANIZED STEEL / 4 PIECES
PAINTED	1 LAYER EPOXI PRIMER PAINT/ 2 LAYER EPOXI SECONDARY PAINT
WELDING	GAS WELDING MACHINE / ASTM STANDARTS
RAIL	80 MM. NPU / 20 MM STEEL ROD
SUPPORT ROLLERS	CESTAMITIS MATERIAL / 6 PIECES
FLANGES	8 MM THICKNES ST52 STEEL FOR SUPPORT MONTAGE
CONNECTION SCREW	8.8 / 8 MM. - 24 PIECES
WARRANTY	2 YEARS
CERTIFICATES	CE / BR3 BULLET RESISTANT